

ATOMIC PHYSICS

An Exploration Through Problems and Solutions

Dmitry Budker

Department of Physics, University of California, Berkeley, USA

Derek F. Kimball

Department of Physics, University of California, Berkeley, USA

and

David P. DeMille

Physics Department, Yale University, USA

OXFORD
UNIVERSITY PRESS

OXFORD

UNIVERSITY PRESS

Great Clarendon Street, Oxford OX2 6DP

Oxford University Press is a department of the University of Oxford

It furthers the University's objective of excellence in research, scholarship,
and education by publishing worldwide in

Oxford New York

Auckland Bangkok Buenos Aires Cape Town Chennai
Dar es Salaam Delhi Hong Kong Istanbul Karachi Kolkata
Kuala Lumpur Madrid Melbourne Mexico City Mumbai
Nairobi São Paulo Shanghai Taipei Tokyo Toronto

Oxford is a registered trade mark of Oxford University Press
in the UK and in certain other countries

Published in the United States

by Oxford University Press Inc., New York

© Oxford University Press 2003

The moral rights of the authors have been asserted

Database right Oxford University Press (maker)

First published 2003

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted, in any form or by any means,
without the prior permission in writing of Oxford University Press,
or as expressly permitted by law, or under terms agreed with the appropriate
reprographics rights organization. Enquiries concerning reproduction
outside the scope of the above should be sent to the Rights Department,
Oxford University Press, at the address above

You must not circulate this book in any other binding or cover
and you must impose this same condition on any acquirer

A catalogue record for this title is available from the British Library

Library of Congress Cataloging in Publication Data
(Data available)

ISBN 0 19 850949 9 (Hbk)

ISBN 0 19 850950 2 (Pbk)

10 9 8 7 6 5 4 3 2 1

Printed in Great Britain
on acid-free paper by
T. J. International Ltd,
Padstow, Cornwall

To our teachers

ACKNOWLEDGMENTS

This book would not have been possible without our mentors, colleagues, and students whose ideas inspired many of the problems and solutions found in this book. Their suggestions, guidance, and readings of countless drafts have been invaluable.

In particular, we would like to acknowledge the inspiration from and contributions of Evgeniy B. Alexandrov, Lev M. Barkov, Ilya Bezel, Sarah Bickman, Chris J. Bowers, Sid B. Cahn, Eugene D. Commins, Damon English, Victor Flambaum, Wojciech Gawlik, Theodor W. Hänsch, Robert A. Harris, Larry Hunter, J. D. Jackson, Iosif B. Khriplovich, Gleb L. Kotkin, Mikhail G. Kozlov, Vitaliy V. Kresin, Chi-Hao Li, Steve K. Lamoreaux, Jon M. Leinaas, Robert Littlejohn, Richard Marrus, Hitoshi Murayama, Frank A. Narducci, Anh-Tuan D. Nguyen, Simon M. Rochester, Michael V. Romalis, Jason E. Stalnaker, Herbert Steiner, Mark Strovink, Alexander O. Sushkov, Oleg P. Sushkov, Mahiko Suzuki, Jeff T. Urban, Arkady I. Vainshtein, David S. Weiss, Eric Williams, Valeriy V. Yashchuk, Jun Ye, Vladimir G. Zelevinsky, and Max Zolotarev.

We would like to extend a special thanks to Damon English for providing the cover illustration.

The authors also acknowledge the support of their research, that motivated many of the problems in this book, by the National Science Foundation, the Office of Naval Research, and the Miller Institute for Basic Research in Science.

CONTENTS

Preface	xi
Notation	xiii
1 Atomic structure	1
1.1 Ground state of phosphorus	1
1.2 Exchange interaction	7
1.3 Spin-orbit interaction	10
1.4 Hyperfine structure and Zeeman effect in hydrogen	13
1.5 Hydrogenic ions	18
1.6 Geonium	22
1.7 The Thomas-Fermi model (T)	31
1.8 Electrons in a shell	34
1.9 Isotope shifts and the King plot	38
1.10 Crude model of a negative ion	41
1.11 Hyperfine-interaction-induced mixing of states of different J	43
1.12 Electron density inside the nucleus (T)	46
1.13 Parity nonconservation in atoms	52
1.14 Parity nonconservation in anti-atoms	62
1.15 The anapole moment (T)	65
2 Atoms in external fields	74
2.1 Electric polarizability of the hydrogen ground state	74
2.2 Polarizabilities for highly excited atomic states	77
2.3 Using Stark shifts to measure electric fields	78
2.4 Larmor precession frequencies for alkali atoms	80
2.5 Magnetic field inside a magnetized sphere	83
2.6 Classical model of magnetic resonance	83
2.7 Energy level shifts due to oscillating fields (T)	88
2.8 Spin relaxation due to magnetic field inhomogeneity	100
2.9 The $\vec{E} \times \vec{v}$ effect in vapor cells	105
2.10 Field ionization of hydrogenic ions	108
2.11 Electric-field shifts of magnetically split Zeeman sublevels	108
2.12 Geometric (Berry's) phase	110

3	Interaction of atoms with light	115
3.1	Two-level system under periodic perturbation (T)	115
3.2	Quantization of the electromagnetic field (T)	122
3.3	Emission of light by atoms (T)	128
3.4	Absorption of light by atoms	138
3.5	Resonant absorption cross-section	141
3.6	Absorption cross-section for a Doppler-broadened line	143
3.7	Saturation parameters (T)	145
3.8	Angular distribution and polarization of atomic fluorescence	152
3.9	Change in absorption due to optical pumping	156
3.10	Optical pumping and the density matrix	162
3.11	Cascade decay	166
3.12	Coherent laser excitation	168
3.13	Transit-time broadening	170
3.14	A quiz on fluorescence and light scattering	172
3.15	Two-photon transition probability	177
3.16	Vanishing Raman scattering	179
3.17	Excitation of atoms by off-resonant laser pulses	180
3.18	Hyperfine-interaction-induced magnetic dipole (M1) transitions	184
4	Interaction of light with atoms in external fields	187
4.1	Resonant Faraday rotation	187
4.2	Kerr effect in an atomic medium	191
4.3	The Hanle effect	197
4.4	Electric-field-induced decay of the hydrogen $2^2S_{1/2}$ state	200
4.5	Stark-induced transitions (T)	202
4.6	Magnetic deflection of light	208
4.7	Classical model of an optical-pumping magnetometer	213
4.8	Searches for permanent electric dipole moments (T)	217
5	Atomic collisions	230
5.1	Collisions in a buffer gas	230
5.2	Spectral line broadening due to phase diffusion	231
5.3	Dicke narrowing	234
5.4	Basic concepts in spin exchange	238
5.5	The spin-temperature limit	242
5.6	Electron-randomization collisions	244
5.7	Larmor precession under conditions of rapid spin exchange	245
5.8	Penning ionization of metastable helium atoms	247

6	Cold atoms	251
6.1	Laser cooling: basic ideas (T)	251
6.2	Magneto-optical traps	258
6.3	Zeeman slower	262
6.4	Bose-Einstein condensation (T)	267
6.5	Bose-Einstein condensation from an optical lattice	278
6.6	Cavity cooling	280
6.7	Cavity cooling for many particles: stochastic cooling	285
6.8	Matter-wave vs. optical Sagnac gyroscopes	287
6.9	Fermi energy for a harmonic trap	291
7	Molecules	294
7.1	Amplitude of molecular vibrations	294
7.2	Vibrational constants for the Morse potential	295
7.3	Centrifugal distortion	297
7.4	Relative densities of atoms and molecules in a vapor	300
7.5	Isotope shifts in molecular transitions	305
7.6	Electric dipole moments of polar molecules	310
7.7	Scalar coupling of nuclear spins in molecules	314
8	Experimental methods	319
8.1	Reflection of light from a moving mirror	319
8.2	Laser heating of a small particle	321
8.3	Spectrum of frequency-modulated light	324
8.4	Frequency doubling of modulated light	326
8.5	Ring-down of a detuned cavity	328
8.6	Transmission through a light guide	329
8.7	Quantum fluctuations in light fields	330
8.8	Noise of a beamsplitter	334
8.9	Photon shot noise in polarimetry	336
8.10	Light-polarization control with a variable retarder	338
8.11	Pile-up in photon counting	341
8.12	Photons per mode in a laser beam	342
8.13	Tuning dye lasers	344
8.14	Femtosecond laser pulses and frequency combs	347
8.15	Magnetic field fluctuations due to random thermal currents	351
9	Miscellaneous topics	355
9.1	Precession of a compass needle?	355
9.2	Ultracold neutron polarizer	357

9.3	Exponentially growing/decaying harmonic field	358
9.4	The magic angle	360
9.5	Understanding a Clebsch-Gordan coefficient selection rule	366
9.6	The Kapitsa pendulum	368
9.7	Visualization of atomic polarization	371
A	Units, conversion factors, and typical values	379
B	Reference data for hydrogen and alkali atoms	385
C	Spectroscopic notation for atoms and diatomic molecules	387
D	Description of polarization states of light	390
D.1	The Stokes parameters	390
D.2	The Jones calculus	391
E	Euler angles and rotation matrices	393
F	The Wigner-Eckart theorem and irreducible tensors	395
F.1	Wigner-Eckart theorem	395
F.2	Irreducible tensors	401
G	The density matrix	403
G.1	Connection between the density matrix and the wavefunction	403
G.2	Ensemble-averaged density matrix	406
G.3	Time evolution of the density matrix: the Liouville equation	408
G.4	Atomic polarization moments	410
H	Elements of the Feynman diagram technique	415
	Bibliography	418
	Index	434

PREFACE

We have found that usually the best way to learn something new is to ask concrete questions and try to work out the answers. Often some of the simplest questions have surprising and unexpected answers, and some seemingly complex problems can be solved in a simple way. In this book we have collected some of these problems and our solutions to them. The book encompasses many issues we faced as we ourselves made the transition from undergraduate students to practicing experimental atomic physicists and instructors. However, the text is not intended to be comprehensive, but rather addresses various aspects of atomic physics which we have found interesting and important.

In the course of doing atomic physics, we always find ourselves crossing boundaries into other subfields; the selection of problems reflects this gray area. It also reflects our specific interests, with several problems about symmetry violation, etc. that would not appear in more “standard” textbooks. It is our philosophy that working on specific problems usually helps with understanding of more general issues, and indeed may be the most useful way to *really* learn anything. It is our hope that some selection of the broad range of problems given here will pique the interest of any reader, and thus initiate this process.

Where possible, we try to emphasize approximation methods, dimensional considerations, limiting cases, and symmetry arguments as opposed to formal mathematics. We often appeal to pictures, tables, and graphs. This problem-solving approach is aimed at developing intuition about physical principles and fosters the important ability to perform “back-of-the-envelope” calculations. These are the tools we find most useful when trying to solve the types of problems we commonly encounter in the laboratory. Of course, on occasion a formal mathematical approach (as painful as it could be) can lead to important insights. Generally, in order to deeply understand various aspects of physics, it is good to have both an intuitive picture as well as the appropriate mathematical tools.

This book is intended for advanced undergraduates and beginning graduate students interested in atomic, molecular and optical physics, and we assume that readers possess basic knowledge of quantum mechanics [at the level of Griffiths (1995), Bransden and Joachain (1989), or similar texts], electrodynamics [at the level of Griffiths (1999), Purcell (1985), or similar texts], and thermodynamics [at the level of Reif (1965), Kittel and Kroemer (1980), or similar texts]. However, we hope that many of the problems will also be of interest to professional scientists.

In physics, there continues to be a raging debate over what is the best system of units to use and whether or not units should be standardized. We feel that the choice of units is a personal one, especially since converting between different systems is relatively straightforward. That said, in this book we have a tendency to use CGS units, since we find them most convenient (especially in problems involving electromagnetism). We also set $\hbar = 1$ when it is convenient to do so and measure energies in frequency units, as is common practice in atomic physics (since energy measurements are typically performed by measuring frequencies).

Each problem in the book is intended to stand on its own. If there is a particular subject in atomic physics that one is interested in learning about, there may be a problem about it in this book. We envision the reader turning right to that page and starting to try to figure it out. Hopefully, at the end of this exercise, one will have gained some familiarity with the topic, enabling her or him to understand more advanced, specialized literature on the subject, or go straight to the lab and get to work!

In the introduction to most problems there is a brief discussion of the relevance of the topic to modern atomic physics with references to research literature on the subject. The cited references are not intended to be comprehensive, but merely provide a starting point in a search for more information about the subject of the problem. We apologize in advance to the innumerable scientists whose important contributions are not mentioned. Also, for a few problems, especially in subfields of atomic physics dear to our hearts, there are some historical remarks. Of course, there is a great deal of history surrounding almost all of the topics covered in this book, and we could not tell all of it. Nonetheless, we thought a few, not widely known stories might be enjoyable.

Some of the problems are written as tutorials on various subjects in atomic physics [they are marked with a (T)]. In such problems, there are a series of short questions that are intended to guide the reader through some important material. Hopefully the reader will find this more entertaining and interactive than just reading the explanation straight through.

We hope you enjoy reading and using the book as much as we have enjoyed writing it!

D. B.
D. F. K.
D. P. D.

Berkeley, California
May 2003

NOTATION

The following is a table of symbols commonly used throughout the book, their meaning, and their value where appropriate. In most locations, we remind the reader of the meaning of the symbols when they appear. Also see Appendix A for practical units, conversion factors, and typical values of various parameters.

Symbol	Meaning	Value
m, m_e	electron mass	9.1085×10^{-28} g 0.511 MeV/ c^2
m_p	proton mass	1.6726×10^{-24} g 938.28 MeV/ c^2
m_n	neutron mass	1.6750×10^{-24} g 939.57 MeV/ c^2
$m_n - m_p$	difference between nucleon masses	1.293 MeV/ c^2
e	electron charge magnitude	4.8029×10^{-10} esu
h	Planck's constant	6.6252×10^{-27} erg · s
$\hbar = h/(2\pi)$		1.0544×10^{-27} erg · s
$\alpha = e^2/(\hbar c)$	fine structure constant	$1/137.036$
$a_0 = \hbar^2/(me^2)$	Bohr radius	5.292×10^{-9} cm
$\mu_0 = e\hbar/(2mc)$	Bohr magneton	0.93×10^{-20} erg/G 1.40 MHz/G
$\mu_N = e\hbar/(2m_p c)$	nuclear magneton	5.06×10^{-24} erg/G 762 Hz/G
$R_\infty = me^4/(4\pi\hbar^3 c)$	Rydberg constant	$109,737$ cm ⁻¹
k_B	Boltzmann's constant	1.38066×10^{-16} erg/K 8.61735×10^{-5} eV/K
L, l	orbital angular momentum (total, individual particle)	units of \hbar
S, s	electron spin	units of \hbar
J, j	total electronic angular momentum	units of \hbar
I	nuclear spin	units of \hbar
F	total atomic angular momentum	units of \hbar

When we deal with spin-1/2 systems, we will commonly employ the notation $|+\rangle$ and $|-\rangle$ to denote the spin up ($m = +1/2$) and spin down ($m = -1/2$) states, respectively. Here m is the projection of the spin along the quantization axis.

The ubiquitous Clebsch-Gordan coefficients¹ describe the connection between the coupled basis $|J, M\rangle$ and the uncoupled basis $|J_1, M_1\rangle|J_2, M_2\rangle$ (where J, J_1, J_2 are angular momenta and M, M_1, M_2 are the projections of the respective angular momenta on the quantization axis):

$$|J, M\rangle = \sum_{M_1, M_2} C(J_1, J_2, J; M_1, M_2, M) |J_1, M_1\rangle |J_2, M_2\rangle \quad (2.1)$$

$$|J_1, M_1\rangle |J_2, M_2\rangle = \sum_{J, M} C(J_1, J_2, J; M_1, M_2, M) |J, M\rangle . \quad (2.2)$$

In the text we consistently use the notation:

$$C(J_1, J_2, J; M_1, M_2, M) \equiv \langle J_1, M_1, J_2, M_2 | J, M \rangle , \quad (2.3)$$

and employ the commonly used phase convention of Condon and Shortley (1970), Edmonds (1996), and Sobelman (1992).

¹ The Clebsch-Gordan coefficients are also referred to as *vector-coupling coefficients*, *vector-addition coefficients*, and *Wigner coefficients* in the literature.